

SUPPLEMENT TO



The Gazette of India

No. 361

NEW DELHI, SATURDAY, SEPTEMBER 3, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th August, 1955

	CHOLERA			SMALLPOX		PLAQUE			CHOLERA			SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.	C.		D.	C.	D.	C.	D.		

STATES PART (A) AND PART (C)

Assam—contd.

Ajmer										Assam—contd.					
TOTAL
(Estd. mid-year pop. 741 thousands.)															
Total for w/e 30-7-55	1	1	—	—	Total for w/e 30-7-55	..	64	43
Total for w/e 23-7-55	2	1	Total for w/e 23-7-55	..	32	23
7-yearly mean for the week	7-yearly mean for the week	..	5	2	2

Andhra										Bhopal					
Srikakulam	5	1	4	1	..	Total for w/e 30-7-55	4
Visakhapatnam	2	1	..	Total for w/e 23-7-55	1
Godavari East	6	7-yearly mean for the week
Godavari West	1	1	1	3	..								
Krishna	1								
Guntur	26	1	..								
Kurnool	1								
Anantapur	2								
Chittoor	3	..	4								
TOTAL	..	6	2	46	6	4	3								
(Estd. mid-year pop. 21,013 thousands.)															
Total for w/e 30-7-55	27	11								
Total for w/e 23-7-55	..	6	2	98	14								
7-yearly mean for the week	544	272	132	26	..								

Assam										Bihar					
Cachar	22	19	Total for w/e 30-7-55	..	391	159	4	2
Kamrup	69	40	Total for w/e 23-7-55	..	596	201	6
TOTAL	..	91	59	7-yearly mean for the week	..	648	267	54	15

Explanation of Symbols used : C.—Cases ; D.—Deaths ; —Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th August, 1955—*contd.*

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE																	
	C. D.		C. D.		C. D.		C. D.		C. D.		C. D.													
Bombay																								
Himachal Pradesh																								
Greater Bombay	•	•	—	—	1	1	"N.R."															
Ahmedabad	•	•	•	9	1	..	"N.R."															
Madhya Pradesh																								
Surat	•	•	•	8	3	Wardha	•	•	..											
Satara South	•	•	•	1	1	..	1	Chhindwara	•	•	..											
Ahmednagar	•	•	•	2	2	—	..	Betul	•	•	..											
East Khandesh	•	•	•	6	..	—	—	Bhandara	•	•	..											
West Khandesh	•	•	•	4	1	2	..	—	—	Hoshangabad	•	•	..											
Nasik	•	•	•	2	1	..	—	Balaghat	•	•	..											
Satara North	•	•	•	—	..	3	1	Raipur	•	•	4											
Belgaum	•	•	•	1	1	—	—	—	—	Bilaspur	•	•	1											
Ratnagiri	•	•	•	—	—	—	Durg	•	•	..											
Kolaba	•	•	•	3	—	—	—	Amravati	•	•	..											
Kolhapur	•	•	•	1	1	Akola	•	•	5											
TOTAL	•	•	II	7	35	8	TOTAL	•	•	6											
(Estd. mid-year pop. 38,892 thousands.)											4	66	II											
Total for w/e 30-7-55	•	20	10	35	3											
Total for w/e 23-7-55	•	15	5	45	3	—	—	—	—															
7-yearly mean for the week	•	162	75	41	13	4	2	—	—															
Coorg																								
TOTAL	•	TOTAL	•	•	..											
(Estd. mid-year pop. 256 thousands.)																								
Total for w/e 30-7-55	•	..	—	—	—	—	—															
Total for w/e 23-7-55	•	..	—	—	—	—	—															
7-yearly mean for the week	•	—	..	—	—	—	—															
Delhi																								
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. census pop. 1,744 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)																								
Total for w/e 30-7-55	•	—	—	—	—															
Total for w/e 23-7-55	•															
7-yearly mean for the week	•															
TOTAL	•	—	—	—	—	—	—	—	—	TOTAL	•											
(Estd. mid-year pop. 37,797 thousands.)				</td																				

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th August, 1955—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE					
	—		C.		D.		—		C.		D.		—		C.		D.		—		C.		D.		—		C.		D.							
Manipur																																				
TOTAL	•						
(Estd. mid-year pop. 606 thousands.)																																				
Total for w/e 30-7-55	•						
Total for w/e 23-7-55	•						
Orissa																																				
Cuttack	•	•	•	•	10	5						
Puri	•	•	•	•	16	4						
Sambalpur	•	•	•	•	1	1	1	1						
Dhenkanal	•	•	•	•	1						
Bolangir Patna	•	•	•	•	1	1	1	1						
Kalahandi	•	•	•	•	7						
TOTAL	•	•	•	•	35	11	3						
(Estd. mid-year pop. 15,026 thousands.)																																				
Total for w/e 30-7-55	•	..	32	14	47	5						
Total for w/e 23-7-55	•	..	45	30	36	11						
7-yearly mean for the week	•	•	•	•	62	29	70	13						
Punjab (I)																																				
Amritsar	•	•	•	•	6	1						
Ferozepore	•	•	•	•	5	1						
TOTAL	•	•	•	•	11	2						
Estd. census pop. 12,641 thousands.)																																				
Total for w/e 30-7-55	•	7	2						
Total for w/e 23-7-55	•	4						
7-yearly mean for the week	•	•	•	•	2	1	2	2						
Vindhya Pradesh																																				
Tripura																																				
TOTAL	•						
Estd. mid-year pop. 694 thousands.)																																				
Total for w/e 30-7-55	•						
Total for w/e 23-7-55	•						

Explanation of Symbols used : C.—Cases; D.—Deaths; .. Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th August, 1955—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
West Bengal												Mysore																								
Burdwan	•	•	•	14	5	Bangalore	•	•	•	3	2	2	2	2	2	2	2	2	2	2	2	2								
Birbhum	•	•	•	1	1	Chitaldrug	•	•	•	14	9							
Bankura	•	•	•	9	5	1	Bellary	•	•	•	5	5							
Midnapur	•	•	•	6	4	TOTAL						22	16	2	2	2	2	2	2	2	2	2	2							
Hooghly	•	•	•	11	3	9	1	—	—	Patiala & East Punjab States Union																										
Howrah	•	•	•	35	15	4	2	TOTAL													
24-Parganas	•	•	•	19	9	Rajasthan																										
Calcutta	•	•	•	22	11	1	1	“N.R.”																										
	TOTAL		•	118	54	15	4	Saurashtra																										
(Estd. mid-year pop. 26,099 thousands.)												Zalawad	•	•	•	9	2							
Total for w/e 30-7-55	•	173	79	4	2	—	—	Travancore-Cochin																												
Total for w/e 23-7-55	•	282	121	9	4	TOTAL																												
7-yearly mean for the week	•	182	78	32	15	Grand total for States Part (B)																												
Grand Total for States Parts (A) and (C) (excluding Himachal Pradesh)	•	742	308	274	51	4	3	Grand total for States Parts (A), (B) & (C)																												
Corresponding (Estd. mid-year pop. 2,99,596 thousands.)													26	17	20	6	2	2	2	2	2	2	2	2	2	2	2	2								
Corresponding Total for w/e 30-7-55	735	335	259	65	..	—	ARREAR INFORMATION																													
Corresponding Total for w/e 23-7-55	1007	391	360	79	..	—	West Bengal																													
Corresponding 7-yearly mean for the week	•	2528	1148	466	125	4	2																													

STATES PART (B)

Hyderabad

Warrangal	4	3
Medak	.	.	.	4	1	5	1
Hyderabad	2
TOTAL				4	1	11	4

Jammu and Kashmir

"N.R."

Madhya Bharat

“N. R.”

Explanation of Symbols used : C. = Cases; D.

West Bengal

W/C 30-7-55

Explanation of Symbols used : C. = Cases; D = Deaths; - Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th August, 1953—concl.

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil.

NEW DELHI-2 (INDIA); }
The 30th August, 1955. }

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS.
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES--(Parts A and C)														
Ajmer												"N. R."		
Andhra														
Adoni	61	47	40.1	13	11.1	3	
Anantpur	36	47	67.68	1	11	15.8	4	
Anakapalli	45	45	52.0	6	1	1	1	20	23.1	8	
Bhimavaram	35	31	46.1	2	7	10.4	2	
Chirala	42	33	40.9	2	1	6	7.4	..	
Chittoor	44	46	54.3	8	1	14	16.5	3	
Cuddapah	41	35	45.1	4	1	..	2	16	20.6	3	
Eluru	97	52	27.9	2	1	4	2	22	11.8	5	
Gudivada	35	50	74.3	9	..	2	1	10	14.8	1	
Guntur†														
Guntakal†														
Kakinada	24	11.2	8	
Kurnool	67	67	52.0	2	1	18	14.0	10	
Masulipatnam	86	35	21.1	5	1	1	..	22	13.3	5	
Nandyal	37	29	40.7	2	7	9.8	..	
Nellore†														
Proddatur	10	12.9	6	
Rajahmundry	4	1	3	..	33	14.4	5
Tenali	65	56	44.9	2	2	1	..	14	11.2	4	
Vijayawada†			
Visakhapatnam	124	100	9	1	6	2	50	21.1	14	
Vizianagaram			
TOTAL	1,160	869	39.0	58	19	22	8	329	14.7	93	
Assam														
Shillong†														
Gauhati†	30	31.2	4	
Dibrugarh†														
Silchar	7	8.7	2	
TOTAL	..	43	7	28.7	4	1	37	20.9	6
Bhopal														
Bhopal City	10	4.6	..	
Bihar														
Bombay												"N. R."		
Calcutta														
Ahmedabad	870	820	49.2	..	1	..	21	34	89	..	327	19.6	136	
Ahmednagar	87	76	46.1	2	3	5	..	23	13.7	7	
Amalner	49	42	44.5	8	11	11.6	2	
Bagalkot	36	27	39.0	3	2	2	..	9	13.0	3	
Barod	237	178	39.0	15	6	10	1	65	14.2	..	
Barsi	45	30	34.6	6	..	1	..	20	23.1	6	
Belgaum	299	25	11.3	3	..	3	..	18	8.5	..	
Bhusawal	61	23	19.7	1	..	1	..	3	2.5	..	
Bijapur	73	50	35.6	9	1	2	1	18	12.8	1	
Broad	66	50	39.4	17	1	1	..	33	26.0	13	
Cambay	41	57	72.3	1	3	1	..	10	7.9	..	
Challgaon	34	43	65.8	6	2	1	..	12	18.4	3	
Dharwar	1	3	1	13	9.2	..	
Dhulia	87	79	47.2	8	..	7	..	21	12.5	6	
Gadag Betageri	70	56	40.9	8	1	5	5	28	20.5	4	
Godra	9	11.5	4	
Greater Bombay	40	37	48.1	4	777	12.1	281	
Jubli	144	58	20.9	1	1	3	1	21	7.5	..	
Jalgaon	77	53	35.8	8	2	1	1	18	12.2	6	
Kalyan	70	30	22.2	2	1	9	6.6	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :- B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); "N.R."—Information not received; ..—Nil information.

Births and deaths from principal diseases in towns with a population of over 30,000 and in India for the week ending the 6th August, 1955—contd.

Deaths from:—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I. D.
Bombay—contd.													
Kolhapur	155	108	36.2	6	3	10	..	38	12.7	..
Malegaon	62	39	32.3	8	1	11	9.2	2
Mira	44	28	33.0	1	2	..	20	23.6	1
Nadiad	70	61	45.1	14	25	18.5	..
Nandurbar	34	87	26.0	3	6	9.5	3
Nasik	175	91	41.3	5	3	4	..	31	14.0	5
Navsari	49	33	35.0	4	5	5.3	..
Pandharpur †	46	46	50.7	2	13	14.4	..
Patan
Poona	584	356	31.7	12	29	5	136	15.6	63
Sangli	57	37	33.7	1	3	1	..	12	10.9	2
Satara	40	43	55.9	1	1	14	18.2	..
Sholapur	293	268	17.6	15	10	27	..	117	20.7	30
Surat	245	161	34.1	8	1	13	1	63	13.3	25
Trinavat
TOTAL	7,400	4,456	31.3	..	2	..	194	164	347	19	1,976	13.9	603

Delhi State

Delhi City	1,085	781	37.4	114	17	37	1	168	11.8	92
New Delhi	355	164	24.0	1	1	9	..	62	9.1	17
N.A.C. Civil Station, Delhi	111	152	71.2	1	2	10	4.6	4
Delhi Cantt.	49	19	20.1	1	1.0	..
Delhi-Shahdara	51	42	42.8	4	1	1	..	11	11.2	14
TOTAL	1,651	1,158	36.5	120	21	47	1	352	11.1	117

Madhya Pradesh**N. R.******Madras**

Ambur	44	36	42.5	1	1	9	10.6	3
Aruppukottai	54	41	39.5	3	2	2	..	17	16.4	5
Bodinayakanur	39	18	24.0	1	..	1	..	7	9.3	2
Cannanore	46	38	43.0	3	17	19.2	4
Chidambaram	38	33	45.3	13	17.8	3
Coimbatore	227	189	43.3	2	17	20	3	98	22.4	14
Cuddalore	73	78	55.6	2	4	1	22	15.7	4
Dindigul	88	73	43.1	3	5	4	1	32	18.9	13
Erode	65	72	57.6	6	2	..	33	20.4	12
Gobichettipalayam	37	17	23.9	1	..	2	1	7	9.8	3
Guddiyattam	51	32	32.6	1	2	2	1	11	11.2	..
Kancheepuram	89	88	51.4	1	12	..	23	13.4	9
Karalkudi	43	25	30.2	2	5	6.0	..
Karur	48	33	35.7	1	1	2	..	11	11.9	3
Kozhikode	173	175	52.6	14	..	8	1	82	24.6	14
Kumbakonam	102	111	56.6	2	2	27	13.6	10
Madras	1,649	1,317	41.5	68	109	163	..	679	21.4	188
Mangalore	133	74	78.9	2	1	9	..	43	16.8	5
Mathurai	415	279	35.0	6	17	37	..	138	17.3	39
Mayuram	48	37	40.1	3	..	1	..	12	13.0	3
Mclapalayam	40	12	15.6	1	2	..	6	7.8	1
Nagapattinam	60	57	49.4	2	2	4	1	27	23.4	3
Ottacumund	46	38	43.0	8	1	..	17	19.2	7
Palani	39	27	36.0	2	2	1	17	22.7	4
Palayamkottai	44	50	59.1	2	1	1	3	20	23.6	1
Palghat	76	57	39.0	2	3	2	..	25	17.1	3
Periyakulam	33	25	39.4	2	2	4	..	14	22.1	4
Pollachi	49	32	34.0	2	3	2	..	17	18.0	7
Pudukkottai	49	24	25.5	1	5	5.3	1
Rajapalayam	67	37	28.7	2	4	5	..	22	17.1	1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955.—*contd.*

Deaths from :-

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Salem	234	133	29.6	5	5	10	..	50	11.1	4
Srirangam	41	16	20.3	1	..	1	..	8	10.1	2
Srivilliputtur	43	36	43.5	4	1	3	..	17	20.6	5
Tanjore	115	103	46.6	2	1	9	..	33	14.9	5
Tellicherry	42	49	60.7	2	2	5	1	25	31.0	4
Tiruchirapalli	245	152	32.3	2	2	10	2	72	15.3	11
Tirunelveli	79	69	45.4	1	3	2	..	13	8.6	6
Tiruppur	61	60	51.1	1	3	1	..	12	10.2	2
Tiruvannamalai	44	23	27.2	2	2	..	10	11.8	..
Tuticorin	109	81	38.6	1	6	1	18	8.6	3
Vaniyambadi	43	30	37.1	1	2	..	5	6.2	1
Vellore	121	134	57.6	2	10	1	46	19.8	16
Villupuram	39	40	53.3	2	2	..	10	13.3	4
Virudunagar	51	57	58.1	3	4	1	..	16	16.3	5
TOTAL	5,231	4,108	40.8	..	1	..	143	224	356	20	1,791	17.8	438
Orissa													
Berhampur	70	67	49.91	3	1	3	..	28	20.9	5
Cuttack	114	111	50.5	5	2	6	1	52	23.8	6
Puri	53	31	30.5	10	3	1	..	26	25.6	9
TOTAL	237	209	46.0	18	6	10	1	106	23.3	20
Punjab (I)													
Ambala	64	67	54.6	..	1	..	9	1	2	..	18	14.7	6
Amritsar	335	200	31.1	2	12	23	1	83	12.9	23
Batala	61	33	28.2	2	2	4	..	10	8.5	6
Bhawan	56	67	62.4	5	..	1	..	13	12.1	2
Ferozepore	43	37	44.8	1	2	4	..	10	12.1	2
Hissar	38	42	57.6	9	..	2	..	13	17.8	4
Hoshiarpur	50	39	40.7	3	5	2	..	15	15.7	..
Jullundur	194	184	49.4	2	7	17	..	36	9.7	10
Karnal	69	58	43.8	5	1	2	..	13	9.8	3
Ludhiana	172	216	65.8	13	..	3	..	29	8.8	7
Moga	40	37	48.2	6	..	1	..	10	13.0	3
Panipat	62	56	47.1	6	1	1	..	13	10.9	5
Pathankot	33	23	36.3	5	5	7.9	3
Rewari	36	33	47.8	2	1	3	..	11	15.9	4
Rohtak	102	75	38.3	14	3	18	9.2	6
Simla	49	41	43.6	1	..	3	3.2	1
Sonipat	33	25	39.5	4	5	7.9	2
TOTAL	1,437	1,233	44.6	..	1	..	88	35	65	1	305	11.0	87
Uttar Pradesh													
Agra	367	509	72.3	3	7	64	1	130	18.5	43
Allahabad	342	145	22.1	2	1	29	..	65	9.9	27
Amroha	60	45	39.1	5	..	1	..	19	16.5	6
Bahraich	46	25	28.3	4	..	1	..	9	10.2	1
Banaras	375	345	48.0	44	16	19	..	193	26.8	68
Ballia	34	15	23.0	7	10	15.3	..
Banda	32	13	21.1	2	..	1	..	5	8.1	3
Bareilly	201	72	18.7	9	7	9	..	28	7.3	8
Bijnor†
Budaun	54	34	32.8	10	1	14	13.5	6
Basti†	41	9	11.4	5	5	6.3	3
Bulandshahr
Chandausi	40	49	63.9	11	3	3	..	27	35.2	15
Dehra Dun	141	30	11.1	..	3	..	2	2	5	..	25	9.2	7
Etawah	63	68	56.3	7	3	4	..	29	24.0	20
Faizabad-Ayodhya	85	27	16.6	..	1	..	4	1	2	..	13	8.0	3
Farrukhabad-Fatehgarh	81	44	28.3	8	3	6	..	22	14.2	6
Ferozabad	76	64	43.9	9	3	18	12.3	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Gaziabad	45	73	84.6	8	10	11.6	3
Ghazipur	36	28	40.5	7	..	2	..	13	18.8	..
Gorakhpur	137	57	21.7	14	3	4	..	33	12.5	5
Gonda	34	12	18.4	1	1	1.5	..
Hapur	48	37	40.2	11	2	1	..	18	19.5	9
Hardwar	63	45	37.2	12	16	13.2	5
Hathras	61	67	57.3	25	9	3	..	40	34.2	21
Jaunpur	56	25	23.3	2	1	3	..	9	8.4	1
Jhansi	115	128	58.0	1	26	3	4	..	52	23.6	27
Kanpur	716	397	27.9	117	19	56	6	326	22.9	98
Kasganj	34	20	30.7	3	1	4	6.1	1
Khurja	40	29	37.8	4	2	10	13.0	5
Koil-Aligarh	148	55	19.4	6	5	4	..	20	7.0	8
Lucknow	485	293	31.5	..	2	..	24	14	22	..	114	12.2	43
Mathura	108	99	47.8	14	4	7	..	35	16.9	9
Mau-Nath Bhanjan†													
Meerut	181	142	40.9	..	3	..	16	..	6	..	34	9.8	3
Mirzapur-Vindhya Chal	95	36	19.7	8	..	4	..	19	10.4	6
Moradabad	163	175	56.0	22	4	14	..	65	20.8	25
Muzaffarnagar	72	36	26.1	6	..	1	..	13	9.4	4
Pilibhit	45	25	29.0	10	..	1	..	16	18.5	6
Rampur†													
Saharanpur	158	121	39.9	35	1	49	16.2	21
Sambhal	64	63	51.3	9	6	16	13.0	6
Shahjahanpur	99	90	47.4	15	26	13.7	12
Sitapur	48	23	25.0	5	..	2	..	5	5.4	..
TOTAL	5,089	3,570	36.5	1	9	..	531	122	276	7	1,556	15.9	538

West Bengal

“N. R.”

STATES—(Part B)

Jammu & Kashmir

“N. R.”

Madhya Bharat

Greater Gwalior	267	158	30.8	1	..	1	..	10	1.9	..
Indore	357	100	14.6	13	8	7	2	89	13.0	39
Ujjain	151	58	20.0	8	2	25	8.6	..
Ratlam	71	26	19.0	2	1	9	6.6	1
Mandsaur	40	25	32.5	2	2	2.6	1
TOTAL	886	367	21.5	26	11	8	2	135	7.9	41

Mysore

Bangalore	936	472	36.8	4	25	48	..	147	11.5	..
Mysore	285	138	35.3	5	5	2	..	42	10.8	..
Kolar Gold Fields	170	121	37.0	3	9	4	..	34	10.4	..
Davanagere.	67	17	25.1	2	1	5	6.8	..
TOTAL	1,458	748	26.7	14	40	54	..	228	5.4	..

PEPSU

Patiala City	108	69	33.2	14	1	4	..	43	20.7	18
Malerkotla	34	35	53.5	4	6	9.2	1
Bhatinda	38	39	53.4	5	8	11.6	2

TOTAL

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information ; “N.R.” = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955—contd.

Deaths from :—

Town	Mid-year Popn.—Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan													
Alwar	60	7	6.1	2	13	11.3	2
Bharatpur	117	51	22.7	3	2	8	1	19	8.4	3
Bikaner	46	1	1.1	1	2	2.3	..
Churu	45	13	15.0	6	7	8.1	4
Ganganagar	45	24	27.7	..	1	..	2	..	6	..	16	18.5	1
Tonk	71	11	8.1	9	15	10.9	3
Kotah	7
Sikar†
Jaipur	341	65	9.6	20	1	19	1	61	9.3	23
Udaipur	103	28	14.1	3	1	4	..	18	9.1	5
Jodhpur	196	97	25.7	9	..	17	1	40	10.6	5
TOTAL	1,024	297	15.1	..	1	..	55	4	54	2	191	9.7	46
Travancore-Cochin													
Alleppey	142	49	17.9	1	3	33	12.1	7
Changancherry	40	26	33.8	6	3	22	28.7	3
Ernakulam	69	43	32.4	13	9.8	3
Kottayam	49	60	63.7	3	..	1	..	11	11.7	2
Mattanchery	83	63	39.8	1	16	10.0	3
Nagercoil	91	42	24.0	1	13	7.4	2
Quilon	73	100	71.2	2	18	12.8	5
Trichur	75	52	36.1	2	10	6.9	1
Trivandrum City	213	35	8.5	6	3	41	10.0	3
TOTAL	835	470	29.3	16	15	1	..	177	11.0	29
Saurashtra													
Bhavnagar	153	88	29.9	7	7	3	..	40	13.6	13
Dhoraji	46	23	26.0	2	1	1	..	10	11.3	..
Gondal	40	28	36.4	1	6	7.8	3
Jamnagar	119	32	14.0	11	1	2	..	19	8.3	9
Junagadh†	42	41	21.0	3	..	1	..	4	5.0	2
Morvi
Porbandar	63	41	29.7	11	6	..	1	29	23.9	16 ^a
Rajkot	161	115	37.1	14	4	4	..	41	13.2	12 ^b
Surendranagar	41	13	16.5	1	..	1	..	3	3.8	1
Veraval	45	20	23.3	6	1	3	..	11	12.3	..
TOTAL	710	401	26.9	55	21	15	1	163	10.9	56

ARREAR RETURNS

West Bengal	For w/e the 23rd July, 1955												
Asansol†	33	12	19.0	1	1	..	3	4.7	..
Baidyabati
Bally†
Bankura	50	5	5.2	1	2	2.1	..
Bansberia†
Baranagar	87	38	22.7	1	1	9	2	..	19	11.4	..
Basirhat	39	7	9.3	3	1	1	..	5	6.7	..
Berhampur	62	51	42.9	1	..	1	..	4	3.4	..
Bhadreshwar	34	11	16.9	1	1.5	..
Bhatpara	141	28	10.4	2	11	2	4	1	38	14.1	14
Budge-Budge	32	12	19.6	1	2	5	8.1	3
Burdwan	81	15	9.7	1	2	..	13	8.4	..
Calcutta	2,931	1,231	21.9	25	1	..	54	96	110	1	610	10.9	186
Champdani	40	7	10.4	1	1.3	..
Cooch-Bihar†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (Included in total deaths) ; ..—Nil information

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 6th August, 1955—*contd.*

Deaths from:—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Darjeeling	41	11	28.3	3	..	1	..	7	9.9	..
English Bazar	35	19	28.3	1	3	4.5	..
Garden-Reach	121	17	7.3	1	8	..	3	..	20	8.6	4
Haldia	40	2	2.6	—	1	1.3	..
Hooghly-Chinsura	60	48	41.7	1	3	5	2	..	20	17.4	4
Howrah	471	148	16.4	10	1	..	5	21	37	2	124	13.7	46
Jalpaiguri†													
Kamarhati†													
Kanchrapara†													
Krishnagar	55	141	133.7	3	2	..	11	10.4	2
Midnapore	44	49	58.1	1	2	12	14.2	..
Nabadwip	67	25	19.5	7	..	1	..	10	7.8	..
Nalhati	61	6	5.1	2	..	5	4.3	1
North Barrackpore	36	3	4.3	1	2	2.9	..
Panihati	62	6	5.0
Shantipur	48	10	10.9	2	4	4.3	..
Serampore	82	24	15.3	2	6	8	3	1	31	19.7	15
Sliliguri†													
South Dum-Dum	79	3	2.0	..	2	2	1.3	..
South Suburban	120	6	2.6	9	1	..	12	5.2	3
Titagarh	76	19	13.0	19	1	5	..	27	18.5	6
TOTAL	5,095	1,968	20.1	50	4	..	125	156	178	5	993	10.2	284

Bihar	w/e the 23rd July 1955.												
Arrah	69	3	2.3	4	1	5	3.8	..
Bihar	67	6	4.7	1	8	6.2	..
Bettiah	38	14	19.2	4	..	2	..	31	42.4	..
Bhagalpur†													
Chapra	68	39	29.8	1	4	16	12.2	3
Darbhanga	92	8	4.5	1	1	8	4.5	..
Dhanbad†													
Dinapur	44	6	8.3	2	3	1	1	9	12.4	..
Gaya	146	40	14.3	34	6	13	..	90	32.1	..
Hazaribagh	38	11	15.1	1	3	6	8.2	..
Jamalpur	46	3	3.4	2	2.3	..
Jamshedpur	241	126	27.2	1	1	2	2	..	14	3.8	10
Katihar†													
Monghyr	79	12	7.9	3	1	6	3.3	..
Muzaffarpur	82	25	15.9	6	19	12.0	1
Patna	321	138	22.4	11	1	48	7.8	..
Purulia	46	6	6.8	1	—	1	..	2	2.3	..
Ranchi	126	25	10.3	9	1	1	..	14	5.8	3
TOTAL	1,503	462	16.0	2	81	16	21	4	286	9.9	17

Bombay	w/e the 30th July, 1955												
Ahmedabad	870	865	51.7	21	35	95	1	381	22.7	163
Ahmednagar	87	83	48.4	3	4	4	1	31	18.5	7
Amalner	49	51	54.1	5	..	2	..	12	12.7	6
Bagalkot	36	20	28.8	1	1	2	..	7	10.1	1
Baroda	237	224	49.1	19	4	12	1	67	14.7	19
Barsi	45	62	71.6	8	..	1	1	18	20.8	6
Belgaum	109	39	18.6	2	2	1	1	23	10.9	2
Bhawsar	61	34	28.9	3	4	25	3.4	2
Bijapur	73	45	33.4	5	3	3	1	25	17.8	6
Broach	66	83	65.4	16	1	1	..	29	22.9	6
Cambay	41	28	35.5	2	1	7	8.9	2
Challsgaon	34	39	59.6	6	1	7	10.6	..
Dharwar	75	43	29.8	13	..	3	..	32	22.2	7
Dhulia	87	111	66.3	20	..	4	..	44	26.1	19
Gadag Betageri	70	41	30.5	8	13	9.7	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—										
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*
Bombay—<i>contd.</i>												
Godra	40	25	32.5	5	1	..	1	10	13.0
Greater Bombay	3,335	1639	25.5	..	1	..	4	39	114	1	718	11.2
Hubli Jalgaon† Kalyan‡	144	69	24.9	2	1	6	..	29	10.5
Kolhapur Malegaon Miraj	62	46	34.2	2	4	12	8.9
Nadiad Nandurbar Nasik	44	97	31.2	6	1	4	..	36	12.1
	34	64	54.3	30	7	7	..	50	41.9
	115	9	10.6	2	1	1	..	9	10.6
	85	38.5	7	10	7	..	47	7.7
Navasari† Pandharpur Patan	44	38	44.9	3	3	3	..	14	16.5
	46	49	55.4	3	3	1	..	18	70.3
Poona Sangli Satara	584	334	29.7	..	1	13	34	2	153	14.1
	57	23	20.9	6	3	14	12.8
	40	45	58.5	5	..	2	..	19	24.7
Sholapur Surat Thana†	293	255	54.1	12	14	24	1	100	21.2
	245	161	34.1	5	..	21	..	68	14.4
											2029	14.4
TOTAL	7,318	4771	33.9	..	2	..	233	155	357	11	2029	14.4
Assam												
<i>w/e the 30th July 1955</i>												
Shillong† Gauhati Dibrugarh†	50	10	10.4	6	1	12	12.5
Silchar	42	13	16.1	1	5	11	13.6
TOTAL	92	23	13.0	7	6	23	13.0
Madhya Bharat												
<i>w/e the 30th July 1955</i>												
Greater Gwalior	267	141	27.5	4	19	3.7
Indore	357	176	25.6	..	5	..	20	8	4	..	76	11.1
Ujjain	151	50	17.3	7	6	36	12.4
Ratlam Mandsaur	71	19	13.9	1	10	6.6
	40	20	26.0	1	7	9.1
TOTAL	886	406	23.8	33	14	4	3	148	8.7
Saurashtra												
<i>w/e the 30th July 1955</i>												
Bhavnagar	153	82	27.9	15	3	5	..	37	12.6
Dhoraji	46	30	33.9	2	..	2	..	7	7.9
Gondal	40	29	37.7	1	1	6	7.8
Jamnagar Junagadh Morvi	119	25	11.0	8	1	5	2	17	7.4
	65	22	17.0	6	1	3	..	13	10.0
	42	21	26.0	2	2	2.5
Porbandar Rajkot Surendranagar	63	36	30.6	10	2	20	16.6
	161	103	33.3	14	3	8	..	35	11.3
	41	12	15.2	1	..	2	..	7	8.9
Veraval	45	20	23.3	3	..	4	..	7	8.1
TOTAL	775	380	25.5	—	60	13	29	2	151	10.1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th August, 1955—concl'd.

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Uttar Pradesh														
Bulandshahr	41	1	1	1.3	..	
<i>w/e 1-1-55</i>														
Basti	37	12	16.9	5	..	1	..	6	8.4	1
<i>w/e 8-1-55</i>														
Banda	32	20	32.6	1	2	3.2	..
Basti	37	14	19.7	2	2	2.8	..
Bulandshahr	41	13	16.5	3	3	3.8	..
Etawah	63	41	33.9	2	2	15	12.4	3
Hardwar	63	25	20.7	5	..	4	1	15	12.4	2
<i>w/e 29-1-55</i>														
Banda	32	7	11.4
<i>w/e 5-2-55</i>														
Basti	37	13	18.3	6	9	12.7	1
Pilibhit	45	26	30.1	..	4	7	1	20	23.2	3
<i>w/e 12-2-55</i>														
Bulandshahr	41	9	11.4	5	5	6.3	1
<i>w/e 19-2-55</i>														
Basti	37	5	7.0	2	2	2.8	..
Bulandshahr	41	11	14.0	6	7	8.9	2
Hardwar	63	25	20.7	1	..	3	..	9	7.4	2
Lucknow	485	285	30.6	..	7	15	8	47	1	135	14.5	24
Rampur	154	8	2.7	1	..	1	..	6	2.0	..
<i>w/e 26-2-55</i>														
Bulandshahr	41	9	11.4	2	2	2.5	..
Hardwar	63	30	24.8	4	..	4	..	11	9.1	1
Rampur	154	4	1.3	3	1.0	..
Madhya Bharat														
Ratlam	71	20	14.6	1	..	1	..	3	2.2	..
<i>w/e 2-4-55</i>														
Mandsaur	40	27	35.1	1	2	2.6	..
<i>w/e 9-4-55</i>														
Mandsaur	40	10	13.0	1	1	1.3	..
<i>w/e 16-4-55</i>														
Ratlam	71	13	9.5	5	..	3	..	16	11.7	3
<i>w/e 23-4-55</i>														
Ratlam	71	24	17.6	7	..	5	..	16	11.7	6
<i>w/e 4-6-55</i>														
Ratlam	71	25	18.3	1	6	4.4	2
Mandsaur	40	2	2.6	2	2	2.6	..
<i>w/e 25-6-55</i>														
Ratlam	71	13	9.5	6	..	2	..	16	11.7	3
<i>w/e 2-7-55</i>														
Ratlam	71	12	8.8	1	6	4.4	..
Mandsaur	40	46	59.8	5	5	6.5	..
<i>w/e 9-7-55</i>														
Ratlam	71	20	4.6	1	..	2	..	11	8.1	1

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (Included in total deaths); ..—Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 6th August, 1955 relate to 202 towns with an estimated population of 27,504 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 67% of the total number of towns representing 71% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,099 and 7,443 representing birth and death rates of 34.2 and 14.1 per thousand of population, respectively.

(a) *States (Parts A & C)*.—The data here relate to 163 towns with an estimated population of 22,411 thousands. Information about Ajmer, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 65% of the total number of towns representing 69% of the total population is covered. The number of births and deaths

recorded in these towns were 15,673 and 6,462 representing birth rates and death rates of 36.4 and 15.0 per thousand of population, respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*.—The data here relate to 39 towns with an estimated population of 5,093 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 81% of the total number of towns representing 79% of the total population is covered. The number of births and deaths recorded in these towns were 2,426 and 981 representing birth and death rates of 24.8 and 10.0 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 6-8-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra	39.0	14.7	36.6	17.0	†	†
Bombay	31.3	13.9	28.4	14.0	32.2	17.1
Delhi	36.5	11.9	39.2	9.4	40.2	12.7
Madras	40.8	17.8	35.0	18.4	†	†
Orissa	46.0	23.3	40.8	21.8	38.2	23.8
Punjab (I)	44.6	11.0	42.3	11.0	35.5	10.9
Uttar Pradesh	36.5	15.9	30.7	14.3	36.3	18.0
India (only States Parts A and C).	36.4	15.0	32.1	14.4	34.6	17.6

† Figures not available.

NEW DELHI-2 (INDIA) ; }
The 30th August, 1955 }

K. MITRA,
for Registrar General, India.